











.616936 Tal 50627/A 26x 20:31 TALBOR, STO R.





48484888

L.icensed

July 15. 1672.

MED. CHIR. SOC. ABERDEEN. 2 Junes

Licensed

July 15. 1672.

Walter Walter

315104

Πυρείολογία,
A Rational Account
OF THE
CAUSE & CUR

AGUES,

Diagnostick & Prognostick.

Some specifick MEDICINES prescribed for the Cure of all forts of AGUES:

With an Account of a successful Method of the Authors for the Cure of the most Tedious and Dangerous Q U ARTANS.

Likewife fome OBSERVATIONS of CURESperformed by the aforefaid Method. Whereunto is added


A fhort Account of the Cause and Cure of FEAVERS, and the GRIPING in the GUTS.

agreeable to Nature's Rules and Method
of HE ALING.

Authore RTO TALBOR Pyretiatre.

Non multa, sed multum.

London, Printed for R. Robinson, and are to be fold at his Shop near Greys-Inne Gate in Holbern, 1672.



To his worthy Friends B. Aylemore, A. Blackwell, Esquires; Mr. R. Alchorn, Mr. W. Thornton, Citizens; and the rest of those worthy persons that have been my Patients.

Worthy Patients and Patrons,

Book fent abroad into the A World, is like a Ship lanched forth into the Sea; It must expect not always to fail with the fair gale of judicious Censures, but sometimes to meet with blustering ftorms, raised either by the pussing blasts of Criticks breath, or the envious murmurings of the ignorant: From these two, viz. the seeming-wise Critick, and the grofly Ignorant, I can expect little favour: the one will cavil at the Rational part, because perhaps it doth not square with his Imaginary Fancies; A 3

The Epistle Dedicatory.

the other will deny the Rational and Experimental parts; and both will endeavour to withdraw the breath of people from it, that wanting the air of Reputation, it may be either becalmed by that little notice people take of it, or else be stranded on the dangerous lands of prejudice. I have therefore chosen you my Patrons, whose known Reputation is sufficient to check the insolence of amy that shall contradict or deny what your selves can testifie of your own knowledge and experience. And I desire that your mouthes may only speak my Actions, and let the world from them read my Merits; From whom I request nothing more than a kind acreptance of that which is intended for a general good,

By him who is ever ready to furve his Country and his Friends,

R. Talbor.

pers

met

Pro

rit,

AMA

To the Reader.

oth

the hat it

hat

10

.97

MS,

Æ.

a-

cny

e of

KDG.

OUL

Adi

nem

re-

30

nded

nds,

Hen I first began the study amongst other Distempers incident to humane Bodies I met with a Quartan Ague, a disease that seem'd to me the ne plus ultra of Phylick, being commonly call'd Ludibrium & opprobrium Medicorum, folly and derision of my Profession, did so exasperate my spirit, that I was resolved to do what study or industry could perform, to find out a certain method for the cure of this unruly distemper: In order thereto I first dived into the cause of it, and to that end read most Authors that have writ on this fubject; but I could find no more satiffaction from them, than I can in Philesophy from that odd folution by orcult qualities. I considered then there

o the Reader.

there was no other way to fatisfie my desire, but by that good old way, observation and experiment . To this purpose I planted my self in Essex near to the Sea side, in a place where Agues are the epidemical diseases, where you will find but few persons but either are, or have been afflited with a tedious Quartan: In this place I lived some years, making the best use of my time I could, for the improving my knowledge; curiously observing all Symptoms, Diagnoflicks and Prognosticks ; by which observations, and the affiftance of my reason (God blessing my endeavours) I have attained to a perfect knowledge of the cure of the most inveterate and pertinacious Agues, and can inform a patient to a day when I will remove the fits, and what method I will proceed in with bim; though to several persons, according to their several constitutions and

To the Reader.

e my

. ob-

chere

ases,

fons

this

ng the

or the

iously 13nowhich

ice of

ndea-

gues, a day and

itions and

and other complicated diseases, I nse different methods. If our Physicians would use the Primitive way of the Egyptians, apply themselves to the study of some one disease, they would in a short time bring this noble Science to great perfection; but idleness hath so possest this age, that most of us care for no more than a little smattering of every thing. As you accept these my Primitix, you encourage him to proceed,

Who is Yours and his Countries Friend,

R. Talbor.

** T 1 1 M. W. L. Ph) Sil P N L

To his Friend the Author on his Hupemania.

THe Learned Author in a generous Fit,

T' oblige his Country hath of Agues
Writ:

Physicians now shall be reproacht; no more,

Nor Essex shake with Agues as before.

Since certain health salutes her fickly shoar.

Philosophers spend oyle and time in

And no Minerva issues from their brain,

Whilst here a general good accrues

Like the disease, 'tis Epidemi-

Man

Man, though the lesser world, does far
surpass
All that's ith' greater world, or ever
was,
Whilst he these earthly gods obliges
thus,
He shall be styld an Esculapius.

that it is wream at the the

John Lake John Mile 1

and the large Advance and the same

 $\mathcal{F}_{0}D$.

ではいい

ploy

ei suit les deples (pendepleter)

staring long to many a conditional

The He days , Street she

21.22.



The Introduction to the Discourse of Agues.

A N being subject to as many and more differences than his famous structure can boast variety of parts, all the faculties of his soul have been continually employed to find out Remedies for the prefer vation and restauration of his decaying

body.

liges

Now the first man Adam had a perfect knowledge of the virtues of all Plants, Minerals, or Animals; but whether it was immediately dictated to him by the Creator, I shall not here argue; or whether their innate vertues were engraven upon the front or superficies of every creature; in those lines we see on Plants, &c. which I believe are not flourishes a-la-vols of natures Pen, but sair characters

nmer

learn

Thus of th

Emp

peril

per

more

ject

more

and :

T

1101

Yatu

tore

me din from obsi

characters legible to our forefather Adam, and some few of his posterity: But since the Fall, Soul and Body have deviated from their first perfection, all the faculties of the Soul are depraved, the Memory is subject to sail, the Judgement given to erre, and the Will often known to rebel, and become a voluntary flave to passion: so is his Body subject to so many infirmities, that he that shall consider upon what flender filaments the life of man depends, will have greater cause to admire at the Providence of the Creator feen in the preservation of Man, than at his Wisdome known in his Creation. though both of them surpass the scale of our reason; for our Reason being fallen from its primitive purity, is as much confused as our Languages: now, tot homimes, tot sententie, & tot rationes; Reason is at best but the harmony or musical found of a well tuned Hypothesis, wherewith the fancy is delighted, and it suffers the same fate with our common Musick; for as every tune delights not every ear, lo every reason pleases not every fancy. We have nothing certain in Phylick or Philosophy bue Mathematical and Experimental ลางกิรเรกิว

(3)

Adam,

t fince

viated

facul-

emory

given

Wn to

ve to

0 ma-

nfider

ile of

ause to

reator

lan at

ation.

ale of

fallen

h con-

bemi-

Realon

nulical

vherejusters

y ear,

tancy.

Expe-

rimental Demonstration, and what we have learnt in either Science, hath been by industrious Observations and Experiments, Thus by the industrious toils and labours of those Primitive Heroes (the ancient Empiricks) in their observations and experiments, the foundation of this famous structure of Physick was laid, and in some ages by the same hands reer'd and finished; but fince polished and refined by the more curious wits, but less industrious persons of our latter ages: but were they more industrious and less witty, this conjectural art of Physick would become more certain by the help of observations and experimental demonstration.

The art of Physick began originally either from accidental Experiment, or Observations taken from the irrational Creatures, as Birds, Beasts, and Fishes, which being led by some instinct of Nature to convenient remedies for the cure of their proper Maladies, have surnissed Man with many wholesome remedies and medicaments. Thus the virtue of Celandine in the effects of the eyes was learnt from the Swallow, who hath been often observed to squeese the juice of that herb

With

with her bill upon the blind eyes of her young, by which means they gain their fight. It is observed of the Dear in Early and those parts, that being wounded with a poysonous Arrow, they repair immediately to Dittany, an herb that grows plentifully in those Countries, which by an Alexipharmick virtue expels both Arrow and Poyson.

According to Vergii, Planarch, Pliny, and others, Naturalists:

Distamnum genetrix Cretea carpit ab

Puberibus Caulem foliis, & flore Coman-

Purpureo : non illa feris incognita ca-

Wa

Gramina dum tergo voluores hasere

Thus englished by Mr. George Sandys.

With her white hand she crops from Cretan Ide,
The fresh-leav'd stalk with slower in

dred Purple driding to serve as borne

A foveraign herb, well known to fearful Deer,

Whose trembling sides the winged Ar-

The Egyptian Ibes was the Inventor of Glysters; a Bird not much unlike the Stork, and a great Enemy to Serpents, who filling his beak with falt water, and spouting it up into his guts when he was hard bound, taught the world the convenience of provoking a stool that way.

liny

men-

Letting Blood we learnt from the Seahorse in Nilms, who finding himself oppressed with too much blood, doth at such times come to the shore side, and with a sharp reed or thorne pricks his leg, then stands and bleeds some time, and afterwards dips his leg in the mud, which stops the bleeding and heals the wound. I could insert a great many more observations from Naturalists, but these are sufficient.

To these we must joyn that ancient custom of bringing the sick into their publick market towns, where they were lodged in convenient places, such as our Hospitals; there being placed one or

B

more

more Overseers, who were sworn to take care of the fick, and administer such medicines as should be prescribed by such as came to visit the fick call persons being obliged to view the fick before they acted in their own affairs,) who did commonly give an account to the Overseers whether they at any time had been afflicited with any of those diseases the sick laboured under, and if they had, by what means and remedies they were relieved and recovered; which remedies were administred to the fick, and if they had good faccels, they were recorded with a Probuttons By this way they in time came to have a stock of approved remedies for all known diseases; and thus was the foundation of Physick laid: and these Overfeers took upon them the name of Empiricks (or experienced men) and such a one was Archagathas the first Physician we read of, who was called from Peloponnefus to Rome, and for his skill in healing, was made a Freeman of that famous City. Then our Empiricks or Protomedicks began curioufly and with much industry to observe the precedent signs of a disease, and the several symptomes in the beginning,

37

for

ake

me-

be-

they

0M=

eers

Ai-

that

bove

ad-

70-

e to

r all

oun-

ver-

npi-

ich a

cian

don-

ing, ity. licks

ulty ale,

ning, state, and declination of every distemper; and by these observations they framed their Diagnosticks and Prognotticks, by which they could foresee a disease, and tell the event of it: With this knowledge only our Protomedicks were satisfied, viz. to know a distemper, and to foretel its event; as, whether long or short, sharp or mild, terminate in life or death, and to know how to cure it by approved Medicines delivered them by their predecessors, not troubling themfelves with that which we call the rational part of Physick, as to give reasons for the causes of Diseases, the operation of Medicines, and several such niceties which after ages dived into. Then started up a second fort of Medicks which called themselves Methodists; these did a little smooth and plain the former rough cast structure of the Empiricks, by reducing the several diseases to general heads, as to the eight principal parts, viz. the head, heart, lungs, stomach, liver, spleen, reins, womb; and appropriating Medicines and Herbs to the several parts, calling them Cephalicks, Cordials, Pectorals, Stomachical, Hepaticks, Spleneticks, Ne-B 2 phriticks,

phriticks, Hystericks; and to these they added Arthritick Medicines appropriated to the joynts. Thus far the Methodift. Then came the Dogmatists, and they undertook to dive into the causes of Diseases, and the reason of the various Operations of Medicines; and having framed this Hypothesis of the four humours, they made the Plethora or Cacochymy of those humours in the various parts of the body, to cause the several diseases: But for the reasons of the operation of Medicines upon these humours, and their appropriation to fuch parts of the body, they were absurd and ridiculous; as, because they did affimilate the form or colour of the part and humours, therefore they must operate upon that part or humour they did resemble. This they rendred the reason why Eye-bright was specifical to heal the distempers of the Eyes, because its flower they say resembles a Birds eye; elder Mushromes, or Jewes Ears, good against the swelling of the Glandules of the Ears: Lung-wort for the Lungs; Beans for the Reins and Testicles, from the similitude they have to those parts; so Rheubarb to purge Choller; Agarick, Phlegme; black Hellebore,

fi-m

ph ph

Min

Hellebore, Melancholly, because they are of that colour they suppose the humours to be of. But what rational man would be satisfied with such reasons? Were it not better to tell a Patient, these have been approved Medicines in those cases, confirmed by the experience of many ages? Others in our latter dayes, styling themselves rational Physicians, have rendred more plausible reasons, being grounded upon Experimental Philosophy: these by anatomizing the parts of Plants and Minerals, know the natures of them, as also the effects and constitutions of the whole body or parts, not only by ordinary diffection, but by a spagyrical examination and separation of those parts; and the reasons grounded upon these tryals make a greater impression on our belief, because they are demonstrable by some analogous Experiments.

un-Dif-Ipe-

my of

ip-

to 1

fon

the

014-

der

inst

the ude

610

ack

10,

Thus have I shown you (Physiophilus) the progress of Physick through the several ages to this present time. I shall now treat something of the present state of the Practice of Physick as it stands divided between the Learned Rational Physician, and the Illiterate Modern Em-

B 3

pirick;

pirick; the one hath Law and Reason to warrant his Practice, the other only success: the one in his Practice is guided more by reason than experience, the other not so much by reason as experience; but if a golden mean were found out between both, it would be the best and surest practice. We find many strange virtues in Plants, Stones, and Minerals, which our reason cannot solve; and if we should therefore leave off the use of them, we should do great injury to Mankind. The polar virtue of the Loadstone surpasses the scrutiny of the most solid judgment and refined reason, and yet nothing of greater use to Mankind in the universal benefit they receive by Navigation. The effects produced by the herb Lunaria, precious Stones, are beyond the reach of our Reason. That Gold and Antimony do emit virtue by Infusion without loss of weight of their substance, is unquestionable, and yet inconfistent with our reason, So have several Medicines been found by experience to be specifically successful in the cure of many diseases, and, yet their composition, or the several ingradients, may not square with some of OUF

in to

0-0

rals,

we

nem,

lur-

idghing restal The

mia.

mony ois of

(WO-

e of

ONE

our rational Hypotheses. The Experimentum mirabile of Rulandus, seems to our common reason to be an aftringent medicine by its composition, and yet by only applying it to the pulle, it is found by experience to purge. I knew an Empirick in the Country, that did use a preparation of Opium with extraordinary success in Pleurifies, and in the Stone, and yet nothing feems more Irrational, fince we suppole Opium to bind, and contract the veffels, and so would hinder expectoration, that necessary evacuation by which nature is chiefly relieved in Pleurifies, and by the same quality it should exasperate in the Stone, by causing greater obstructions in the urinous passages. But I have seen contrary effects; for Nature being relieved by the cellation of pain, expectoration followed of course, either without or with little help of Ptisan or Liquorish drink and in the Stone I have known it to move Ulrine powerfully, and oftentimes stones have come forth upon the taking of it. I knew another performed strange cures of Gouts with a mercurial Plaister, or Unguent, and yet few persons can give a rational account either of the cause of the B 4

reop

be re

many

they

It W

learn

20 0

have

from

den

011

TAN 1

ban

Who

them

the Gout, or why Mercury should be specifical to its cure. I have experienced it, and found it successful in fix or seven, and the Empirick, from whom I had the receipt, in hundreds, The gathering of Cinquefoil and Verbascum at certain elected. times, observing the aspects of the Planets, seems to savour more of Superstition than Reason; but whosoever shall observe the contrary effects of them that are carelesly gathered, and those gathered at elected seasons, will be convinced; the one viz. Cinquefoyl, gathered in the hour of Jupiter, with some other necesfary observations Astrological, becomes a good specifick in Quotidian, Tertian, and new Quartan Agues, and operates by Vomit; whereas the Cinquefoyl carelefly gathered is unsuccessful, and hath rarely any sensible operation: the like of Verbascum, observing the time (prescribed by Hartman) in gathering it, is a good specifick in Catarrhes, and performs admirable effects. I have two or three hundred of these Empirical observations by me which I referve for a particular Areatise 3 I have made it my business some years to converse with that fort of people,

e spe-

ced it,

nqueleaed

Pla

that

bers

ced;

1 the

cef-

mes

tian,

rates

are-

hath

like

pre-

15 2

orms hree

ions

neis

ple,

people, from whom a Physician may learn more of the true and experienced virtues of Medicines in a few dayes, than he shall by reading, or his own practice alone in many years; for these having but two or three medicines (delivered them by Tradition) which they call their Arcana's, they try them in all cases, and find out those virtues in them by accident, that a rational Physician would never dream of. It was the advice of an ingenious and learned Physician, Let not a Mountebank go out of the Town before you difcourse him, and by exchanging some good medicine with him, get his, or tather than fail tell him two for one. This advice I have followed and found no small benefit from it; for from these weeds (that start up in every corner of our Physick Garden) I have (like the industrious Bee) fuckt honey, as well as from the wers of learning and ingenuity; and this (I ingenuoufly confess) not for my own, but my Countries benefit, and do intend to publish them, that they may come into the hands of learned and judicious persons, who will make a better improvement of them than such illiterate persons in whose hands

hands the best of Medicines are often found to be like a well-temper'd Sword

in a mad mans hand.

But methinks I hear some ill-natur'd people, from that Proverb, Homo cogno-Scitar ex sociis, affirm, because I have made Empiricks my companions, I must be fuch a one, (in their worst sence.) But their words I shall count no slander; for I had rather be, or be called an Empirick, (that is in English an experienced Phyfician (for emmeends comes from Theegia experior) than to be a Dogmatical or rational Physician, without experience, and those well-tried and approved Medicines I have gain'd by such Empirical converse: and I hope no judicious person will think the worse of me for my industrious endeavours, to improve this noble science of Physick.

Comment of the Commen

CAP. I.

With 1

Its :

CAP. I.

made of be

But

rick,

Phy-

of [1a-

and

0011-

erion

uftri-

Of the Use and Offices of the Spleen and Stomach.

IN order to your better understanding my following discourse (Physiophilus) it will be necessary that I first treat of those two noble parts, the Spleen and Stomach, which the ingenious Helmont calls the Dummvirate, whose desects give birth to all internal diseases: I shall begin with the Spleen being the principal part desicient in these distempers.

1. Of the use and office of the Spleen.

The Bulk of the Spleen is different, in fome bigger, in some less, according to the variety of mens bodies; its figure commonly oblong, its colour in children red, in adult persons inclining to blackness, its substance of black blood congealed amongst the fibers: It is surnished with three sorts of Vessels; first a branch from

turning

after 1

ties,

blood

tarihe

fit to t

2,

Chory

Peer,

Chyle

le ver

te S

from the Caliae Arteries, which disperfeth it felf in many small twigs amongst the fibers: In the second place, it hath a vein which sprouts into it from the Porea, which is all spent and lost in the substance of it, except two arms, the Vas breve, which goes away to the stomach, and the other the Hamorrhoidal vein, which runs away to the Anus: In the third place, it is furnished with nerves from the eight pair, which with their numerous threds and fibers, weave themselves into a kind of Net, upon which the Parenchyma sticks, leaving every where multitude of little holes, into which the small arteries running every where disperfed among the threds of the nerves, empty themselves of the blood, which having passed through, and washed the whole substance of the Spleen, is again drunk up and carried away by the veins. The use of this part is to prepare a ferment for the blood, and to supply the stomach with that acid juice or menstruum that serves for the concoction of aliment. It prepares a ferment for the blood after this manner; The blood brought hither by the Cariac Arteries, passing through many turnings

liper-

nongf

it hath-

a Por-

he Va

omach, l vein,

In the

eli nu-

them-

ch the

where ch the

-lib 51

nerves,

which ned the

is again

reins.

a fer-

the fto-

aftrium

od after

hmany

turnings and windings, being strained through the Parenchyma, doth leave behind it some salt and earthy parts; which after they have suffered some alteration by their attrition, and justling in the several passages, through the cells, cavities, and Pores of the Parenchyma, are by fresh blood, which perpetually slowes thither, by continual circulation carried back through the veins into the mass of blood, in which they serve for a most useful ferment, by which the blood becomes rarisied, and is made more brisk and lively, sit to circulate for the better supply of the parts.

2. Of the use and office of the stomach.

In the next place (Physiophilus) I shall show you the use and office of its compeer, the Stomach,

The office of the Stomach is to prepare Chyle, of which by several alterations by several serments, is made that vital juice, the blood; the manner of which is as followeth: Food being conveyed into the Stomach, is by virtue of a ferment

or menstenum, inherent in that part, reduced into a whitish chyle subacid; from whence, when it hath attained Natures ends, it is emitted by the passage of the Pylorus into the Intestins, where it suffers another alteration by a bitter ferment in those parts; the more pure part of which is sucked up by the lacteous vessels implanted in the mesentery, and the grosfer parts discharged by the intestins: In these lacteous vessels runs the Chyle through the Pancreas into the Vena cava, by means of which it is conveyed into the right ventricle of the heart, and by motion of that Engine by the pulmonary. A1teries is flung into the Lungs; out of which, having there separated some crade and phlegmatick Excrements, it halts through the pulmonary Veins to the left ventricle of the Heart, out of which it is fent by the aorta into all the parts of the body.

The second of the second

CAP. II.

TKa

1 by

as har

ble di

I may

Emp

the i

and of

of the

nice (

fiver!

CAP. II.

atures.

which

Chyle

a cavay

nto the

v mo-

W. A:-

out of

e crode

t halls

the left

s of the

AP, II.

A discourse of the cause of Intermitting Feavers or Agues.

T Know (Physiophilus) it will be expected L by this curious Age, that I should be as happy in finding out the cause, as I have been successful in finding out the cure of this supposed unknown and uncurable disease, a Quartan Ague; which that I may not seem altogether Irrational and Empirical, I shall here endeavour to give the world my opinion of the feat and cause of Agues, which I shall not confidently affert (as some have their dreams and conjectures) but only propose and submit it to the more mature judgments of the learned and judicious; and if any nice Critick shall take the pains to contradict it, I shall return him no other Anfwer than that of Martial:

· Carpere vel noli nostra, vel ede tua.

(20)

The principal feat of Agues is the Spleen, which being deficient, the blood wanting its ferment is obstructed in its circulation, and likewise the ferment of the stomach wanting a supply from this part, is depraved; fo that Concoction not being well performed, tough viscous humours are generated, which with the Chyle conveyed into the mass of blood, do at certain periods when they arrive at the heart disturb that noble part, by obstructing the passage of the chyle or blood; upon which violence offered to Natures chief Fortress, a trepidation of the whole microcosme doth ensue, which lasts so long till by the impulse of the blood or chyle following it, it is at last forced through: No fooner doth the blood find a free passage, having been for some time dammed up, but it flows more violently; as when a Sluyce is opened in a Mill, or other current of water; from which violent motion an ebullition of the blood doth ensue, which causeth the hot Fit: The Ebullition being ended, and the blood running again in its ordinary course, Nature relieves her felf by Transpiration, resettling the blood disturbed by the commotion

coma

or bi

from

dy : guina lighted a pic a pi a Pa The

from less Qui ply may

nt of

olood,

ive at

odo 91

ile oc

ed to

ion of

of the

e 710-

from

and the

courie,

commotion of the late Fit: Then doth the Patient continue well, till the morbifick matter come round again, continually recruiting it self with fresh supplies from the imperfect digested chyle, till that cause be taken away, either by nature alone, by recovering strength and vigour, or by help of proper Medicines, affifting her against so subtil and potent an enemy. The distances of the Fits (some being once in 24 hours, as Quotidians; others once in 48 hours, as Tertians; and some but once in 72 hours, as Quartans,) are from the levity or ponderosity of the materia morbifica, whether Phlegme, Choler, or Melancholly: The heavier body moving more fluggishly in the sanguinary Channel than that which is lighter; as we see in a current of water, a piece of Firre shall move swifter than a piece of Oak, or heavier wood; and a Paper or Feather swifter than the Firre. The length or shortness of the Fits are from the quantity of the matter, more or less: Double Tertian, double and treble Quartans, are occasioned by a quick supply of the morbifick matter; so that there may be two or three several masses of the

the morbifick matter, in the veins, which

arrive at the heart by succession.

But fince the most plausible reasons, unless backt by some demonstrable experiments, seem but suppositions, or conje-Etures; I shall instance one common experiment used for the cure of Agues; which though it doth not certainly cure, yet it always delays the fir, and that is ftrong ligature to the pulse, which by retarding the circulation of the blood, doth likewise hinder the coming of the morbifick matter to the heart, and it may accidentally cure (as some times it is known to do) by retaining the morbifick matter, if it be on that fide the ligature, that it must pass under it before it arrive to the heart, where by the continual impulse of the blood, the morbifick matter may be fo diffipated and disunited, that it may never unite again. I have observed where it hath cured, the part hath been extraordinarily swelled, and they endure a great deal of pain, and once a Gangrene happened upon this ligature.

Another confirmation of the cause of Agues, being from tough viscous humanurs, is that which the country people

in

tient

by n

med

rea

Weig

Weigh

BVO

the.

neral

Aout

Agu

GIT!

in Effect and other parts call an Aguecake. I have observed these in four Patients two were cast out of the stomach by nature, and the other two by Emetick medicines: One of them was like a clotted piece of phlegme, about the bigness of a Wallnut, pliable like Glue or Wars weighing about half an ounce; another about the bigness of the yolk of a Pullets Egge, and like it in colour, but stiffer, weighing about five drachmes; the other two of a dark colour, more tough, about the like bigness, and heavier. It is a general observation amongst them, that their Ague comes away when they fee those Ague-cakes. In those before mentioned it was verified, and I have reason to believe it, since the observation bath been confirmed by so many experiments.

nje

xpebich

/ [e-

00

pals

the

neve:

deal

ened

ise of

s his

CAP, III.

Of the Diagnostick Signs of Intermitting Fevers, or Agues.

The figns of Intermitting Fevers in general are these: They suddenly C 2 invade

invade the Patient with a trembling or shaking and vomiting, or at least some provocation thereto, and sometimes they have convulsive motions in the mouth and other parts. The hot sit is attended with heat, great thirst, pains in the Head; shinings in the Eyes, a quick Pulse, and sometime with Phrensies; the Urine is thick, crude, and ill-digested: The sits go off by sweat, urine, and insensible transpiration, and return again at certain periods, as once in twenty sour, forty eight, or seventy two hours, more or less, and are distinguished by the names of Quotidians, Tertians, and Quartan Agues.

Of the Diagnostick Signs of particular Agues.

First of Quotidian Agues.

The Quotidian Ague invades the fick once in twenty four hours, with a trembling or childes in the back, which shortly passes through the whole body; after which a mild and gentle hear follows, with some swelling or pain in the bypochendria's; they continue eight, twelve, and

and fometimes twenty hours: The U-rine is pale, thin, and crude, and towards the end of the fit, thick, inclining to redness; the pulse flow and weak.

Of the signs Diagnostick in Tertian Agues.

fils

ran-

eight,

par.

Helve,

The Tertian Ague comes once in forty eight hours, with a great shaking, which is succeeded by a vehement heat, thirst, head-ach, and, often, phrensies, a high quick pulse, urine high coloured, thick toward the end of the Fits, with a red sediment. The double Tertian, from an encrease of the morbifick matter, comes twice in forty eight hours, and hath the same symptoms, by which it is known from a Quotidian.

Of the Signes Diagnostick in Quartan Agues.

The Quartan Ague invades the Patient once in seventy two hours: First with gapings, yawnings, and stretching of the limbs, paleness in the nails of the fingers and toes, and coldness in the excream

C 3

parts;

parts; then a tremor at the heart, and foon after a trembling or shaking throughout the whole body, which is mild at first, and afterwards encreaseth gradually: after which follows a burning heat, diffuting it felf through all the parts of the body; the pulse in the beginning slow and weak, intermitting often, and that an hour or more before the fit; in the hot fit it is swift and high; the urine in the cold fit thin and waterish; in the hot fit higher coloured, and toward the latter end of the fit, thick; the sweats in the beginning of the disease little, and after some continuance copious. Double Quartans affliet the patient two days, and intermit one; and treble Quartans come once every day, but differ from the Quotidian in their symptomes, and by their beginning, which is always a fingle Quartam. The like may be faid of double Quartans, whose causes are treated of before.

and the district traces

RESTRICTED AT THE PARTY OF THE

CAP. IV.

Of the Prognosticks in Agues.

Of the Prognosticks in Quotidian Agues.

that

the

nor fit

be-

s, and

Q10-

weir

f be-

Uotidians generally invade the Patient about the Winter solstice, and last till the spring, if they be not cured before by proper medicines. In the Spring they go off with a little help, except in cachectical bodies, which do often fall into Dropsies, and other Chronick diseases: Its cure in the beginning is easie, but if complicated with chronick distempers, it is as hard to be cured as the Quartan Ague.

Of the Prognosticks in Tertian Agues.

Tertian Agues invade the fick in the Spring, or Summer folftice, and are often known to go off in seven or sourteen days without help of Physick; but it is not good trusting to it; for the fits of a Tertian

are so violent, that nature is often soiled before the sourth sit, and the Patient many times miscarries for want of timely help: Its cure in the beginning is very easie, viz. in one or two sits, and afterwards, if nature have any strength, without great trouble, if a proper method be used. There are some Tertians (whose symptoms are mild, and such generally happen after a Fever) that last a month or two, and often change to Quartans.

Of the Prognosticks in Quartan Agues.

make

Cree

the

whil

tence

had .

oble

Quartans generally seize the fick about the Equinoctials (that is about September or March) but more in the Autumnal than Vernal Equinox; they rarely go off alone, but have been known to continue two or three years commonly, and in some bodies seven, nay, twelve years; and in that time bringing such a Cachexia, or ill habit upon the body, that they live miserably, or die of a Dropsie or Consumption, soon after. Amongst the great number of persons I have been conversant with, that have had this distemper, I could never meet

iled

lany

great

are er a

ften

rtan

about

ember

fome that

habit

, foon

meet

meet with any whose Agues were conquered, either by nature, or those ill cures they fometimes accidentally met with, though it continued but half a year, but they were troubled with great obstructions in the spleen, an ill digestion in the stomach, and a general cachexia; so that at first fight I could read where a Quartan did lodge, or had been lodged. A Quartan Ague is the most subtil Enemy nature hath to deal with; sometimes it seems to make a truce, or take its final leave; but breaking it, and rallying again in few days, surprising her who perhaps was mean time busied in managing the great affairs in the occonomy of the body, and rectifying the disorders that unruly guest had made in it: Other times, it flightly creeps upon the body, and doth not shake the frame, Julling the Patient asleep; whilst nature watching its coming, is deceived, and performs not what the intended, or could have done, if the Enemy had appeared in open hostility. I have observed that those Patients who had mild fits, (as they thought them) because they generally slept, and were not much sensible of them, were longest troubled

with them. And such Agues are harder to be cured than those where these fits are more strong and violent. It sometimes will take its leave for a fortnight, and return again with more violence; at other times it divides it self in two or three parts, making the double and treble

Quartan.

It very often deceives the Patient about May, and bids farewell, and as certainly returns about Angust, as it went off. I never could yet read or hear of any Quartan, discharged by nature without help of means, but went off about the Equinoctials, but most generally about the vernal Equinox, viz. March, and then oftentimes caused by the imprudence of Physicians to return, by their giving Purges, those imaginary helps to nature, but pernicious in this distemper, because they do weaken and debilitate nature, and ferment that humour she had concocted and precipitated.

CAP. V.

vente

excee

or ci

25 2 3

rine,

hopi

WOU

of m

out f

they

10 W

Coni ofter

that Nere

CAP. V.

Of the several Remedies nsed for the cure of Agues.

YOu have often heard (Physiophilus) that the number of Medicines invented and used for the cure of Agues, exceed all others: the reason is, our Phyficians in all ages have mistaken its cause or care, and have only shot at a venture, as a blind man at a mark, sometimes curing, but more often failing, trying all things they could think of, or meet with, hoping at last to meet with something that would do; and having after the observations of many Ages, and the experiments of many hundred Medicines, at last found out something that would sometimes cure, they thought themselves happy, and began to write discourses of the cause and cure of Agues, though their supposed specificks were specifical only to some particular constitutions, and not to the disease; more often failing than curing. Hence it came that Agues (and especially Quartans) were called Opprobrium Medicorum, the reproach

der to its are

other

ent aent off.

Quart help Equint the nd then ence of

nature, hecause re, and hecoched

P.V.

reproach of Phylicians, which is now taken off; for I do affert, that a Quartan Ague is as easily cured as any chronick distemper the body of man is incident to, and will undertake the cure, and perform it with as much certainty, as a Surgeon can heaf a cut finger.

Of Medicines used in the cure of Quotidians.

First of all, a Vomit is administred of Infusio Croci Metallorum 3j, Oxymel. Scillitici 3vi; or if the Patient be weak, only Oxymel 3 or 4 Ounces before the fit, and sweating in two or three following fits, with this following Bolus:

Re Rad. Contrayerva serpentaria an. 35. laudani Lond. gr. j. Conserv. rosarum vitriolisat. 3j. misce, siat bolus.

After this, take a spoonful of Vinam Scilliticum every morning and night for three weeks or a month.

Topicks.

navel:

R

Terebi

mt. 1

thij

potio.

corne

Campi

To

(33)

Topicks.

taken

n Ague

, and

eon can

ure of

d of In-

k, only

an. 3/8.

Vinam

Apply this Playster to the wrists and navel:

Re Myrrha, Aloës, olibani, croci, an. 3 j. Terebinth. Venet, q. s. fiat emplastrum.

Of Medicines used in Tertians.

Emeticks.

Juice or Infusion of Asarum, Sal vitrioli, Infusion of Crocus Mettallorum, oxymel simplex & scilliticum.

Diaphoreticks.

Aq. cardui benedicti Biij. salis absynthij 3j. Succi limonum 3j. misce, fiat potio.

Rob Sambuci 3.8. Aqua vel Spir. lumbricorum, mixtura de tribus, spir. Theriacalis am vi Camphorat . Crollii.

Topicks to the Wrist and Feet.

Conserva resarum 3 ij.croci palverisati 3 j. carpis applicand. Cataplasmes of Plantane, Mouseare, Tormentill, to the Wrists: To the Feet apply this Cataplaime; R

(34)

Re Carnis Halecium ex muria zij. Radicis brionia zj. saponis nigri ziß. salis nigri bispanici zv). misce, siat cataplasmus.

getabi.

mila

Anie Da

BATI, 8

fore]

effect

Of Medicines used in Quartans.

Digestives.

Sal Tartari, Tartarum vitriolat.&c.

Emeticks.

Infusio Croci mettallorum, Absynthiaci Minsichti, sal vitrioli, pulveris Radicum asari ad 33. Aluminis Rocha 358. pul. nucis moschat. 38. misce oxymel scilit. Mercur. vita ad gr. 6. cum multis aliis.

Diaphoreticks.

Be Rob. Sambuci, extractum gentiani, ana 358. Salis Absynthij 3B. landani gr. so misce, siat boliu; Arcan. duplicati 3S. Bezoardicum foviale; Bezoard. minerale; elixir Tartari, &c.

Topicks, was her and

Emplast. Febrifugum Helmoniis. R. Artiscum natura domest. cum toto 31. contunt dantur,

(35)

dantur, & optime misceantur, Balsami vegetabilis 313. lachrymarum pini inspissat. 33. misce, siat emplast. Carpis applicandum bor. 2. ante paroxysmos.

Cata-

ans,

, SE,

mehiaci

Padicum.

ml. nu=

· Mer-

entiani,

migr. Je

nerale;

dansur

Spleneticks.

Aqna Penoti, Tartarum Chalybiatum, SpiritusTartari Alkalifatus, Tinëtura Tartari, &C.

I have inferted these Medicines (Phyfiophilus) that my Countrymen may not be lest remediless, they being the choycest and best Medicines I could meet with, before I sound out my particular and more effectual method.

CAP. VI.

Of Charms used for the cure of Agues, how they operate; with the dangerous consequences that have attended the use of them.

The Quartan Ague, being supposed by the people to be an unknown

Bein.

1666.

into the

afitot:

that IV

fame ! he had

man at

that it

Marry

NON Y

ende

replie

failto

Count

it him

being

the C

this '

Whic

Kala

on (s

time

The

and

Wer

ed o

and uncurable distemper, because it so often refifts the force of Medicines, and baffles the skill of Physicians; they have left untried nothing that hath been proposed to them for a cure. Thus amongst other fancies came in the use of Charms, Sigils, &c.

Charms are of three fores; either words of no fense, which disturb not the Imagination; or words of similitude, that humour and feed the Imagination; or Scripture words, which, out of a conceit that fuch texts and words have power, do

Arengthen the Imagination.

Sigils are certain characters engraven upon Metals, impregnated with the influences and virtues of certain Stars and appropriated Plants. These are commonly found to be of greater force than Charms; because, being back'd with some thew of reason, they more confirm and corroborate the Imagination. By the help of these last, Paracelsus is supposed to do his great Cures. to he

I shall next (Physiophilus) acquaint you with two or three Examples, wherein you will find what dangerous effects were produced by the use of these unlawful Being

means.

(37)

y have

pro-

harms,

or the

e, that

graven

im and

By the

appoled

aint you

mayen

Being

Being at Cambridge about November 1666, in an Inn, a Country-man came into the room where I was, thivering with a fit of a Quartan Ague: A certain Smith that work'd to the house, being in the fame from, enquired of him how long he had been troubled with an Ague? The man answered, about three months; and that it was a Third Ague, that he had tried many. Medicines to little purpole, and now was resolved to try no more; but endeavour to work it away. The Smith replied, he had a Remedy that did never fail to cure any Ague, and perswaded the Country-man to try it, promising to give it him for a Pot of Ale. The Medicine ne inbeing to be purchased at so easie a tate, the Country-man accepts it. I fat by all this while, expecting to see the remedy, which proved a Charm; the word was Kalamiris, which was to be writ nine times on feveral Papers, abating a Letter every time, till it came to the last letter K: These nine Papers were wrapt up close, and put into nine Raifons of the Sun, and were ordered by the Smith to be swallowreill you ed down at nine mornings following, bets were ginning with the largest, and ending with the

(38)

the least. The Country-man went his way, and so far as I could perceive, of a pretty strong and healthy constitution, free from any complicated disease: But the next news I heard of the Country-man was, that upon the next Fit-day, having swallowed three of his nine charmed Raysons, he died.

Was

that

to f

and

thef

00 1

the

tano

day

Another sad effect happened upon the use of a Charm in Essex; which was

thus best was on hadden carrie

A Farmers Wife having long been afflicted with a Quartan Ague, a Beggar one day coming to the door, and observing her to be then in a fit, told her, he could cure her of that troublesome disease: She willing to be rid of it, accepts his proffer, and defires him to give her fomething for it. The Beggar call'd for a Pen and Ink, and writ some words in a piece of Paper, which he feal'd up, and bid her wear it about her neck for two or three months, and then to burn it. She used the Charm according to his directions, and from that time was freed from her Ague, and continued well two months after: About which time, the Minister of the Parish coming to her house, and enquiring (39)

e, of a

tation.

: Ba:

untry.

y, ha-

armed

upon

h was

en af-

Beggar

oler-

r, he

edif-

ccepts

e her

s in a

, and

NO OF

She

m her

ter of

en-

quiring after her health, she relates to him the passages before mentioned; Upon which, the Minister told her the danger of using Charms, and that he believed it was the Devil, or some messenger of his that gave her the Charm; and wished her to pull it off; which she did; and was going to burn it: But he took it from her, and opened it, where he found written these words, Ague farewell, till me meet in Hell.

This then confirmed the Minister in what he had said, viz. that the Devil, or some Messenger of his, had given her the Charm, and exhorts her to repentance. But this was the event; the next day she had a violent sit of her Ague, and in that sit became distracted, and in a little

time after made away her self.

Sigils are made of an electral Metal, either simple, or mixt, under the dominion of some proper Planet; as the Lord of the tenth House, in the Scheme of the decumbiture, if he be well dignished and aspected. This is melted down in an elected hour, and quenched or insused in the juice of some proper specifick Plants, impregnated with their own or other analogous

(40)

logous salts: Then it is melted again, and cast into some proper Figure, on which is to be engraved the characters of some friendly Planets; and this worn about the neck or other proper part, is intended to cure the disease. Sigils are likewise made for Epidemical Diseases, and serve indifferently for all persons having the

same disease.

Another Relation I had from a creditable person of the effects of a Sigil, made against Epileptick Fits. A child in Cambridgeshire, being troubled with Epileptick Fits, some years, internal means proving unsuccessful, the Father of the thild consults an Astrological Empirick, that lived near him; who undertakes the cure for ten pound. Both thus agreed, the Astrologer, with the help of some of his brotherhood in London, makes a Sigil of electral Metal, and orders it to be hung about the childs neck, which did immediately cure the child, and free it from Fits, during the time of its wearing the Sigil. But at length the Astrologer demanding Money for his cure, was refuled payment, and instead of it, was apprehended, and carried before a Justice

of the Peace for a Sorcerer; but he there cleared himself, and by the Justices order had his Sigil returned: upon which the Fits return with greater violence, and in a sew days the Child dies. And not long after the Astrologer, as strangely, with a slight fall he got by wrastling, after which

he never spoke or stirr'd.

Which

fome

about

ended

the s

Carn-

ilep-

the

reed,

me of

to be

ee it

aring

s ap-

Thus, you fee, (Physiophilus) how justly they are punished that leave the lawful way, and refuse the belp of Physicians, which are styl'd in Scripture the hands of God, and seek for help from the hands of the Devil; who ever makes a palliative cure, sometimes pretending to heal, that he may have the opportunity of suture mischief. As to Agues, I can assure you, where-ever I met a Patient that used Charms, I found the disease more difficult to remove. Let these Examples be caveats.

Deme veneficits, Carminibusq; fidem.

CAP. VII.

The Author's particular method of curing all sorts of Agues.

mo

Ter

2 110

pre

prep

\$701

to re

eaid

per

First administer a convenient dose of a specifical Emetocathartick Powder (which was communicated to me by the name of Febrifugum Riverii;) It is composed of three Herculean Medicines, each of them requiring twelve several labours in their preparations: To which is added a fourth, which is not unfitly call'd Athieta; because like a powerful Champion, it diffipates, and expels all Natures enemies; It agrees likewise with that account Riverius gives of the operation, dose, and success of his Prbrifugum, (though of the last, viz. success, I might boast more than he.) This Febrifugum is administred three hours before the Fit; after its operation, which is very mild, and the Patient got to bed, a Febrifuge Cordial is given, which operates gently by fweat and urine, for five or fix hours: In the interval I administer a Cordial Elixir, that

(43)

dof

e of

vder

the the

com-

each

ours

dded

A-

pion,

ene-

t ac-

night

Cor-

ly by

that

that rectifies the stomach and spleen, removes obstructions, and reduces them to a due temperament. If the Ague be a Tertian, or new Quotidian, this method cures them; but if it be a long Quotidian or Quartan, at the second fit I give a more powerful specifick, which, pro re nata, is made to work either by sweat and urine, or only by urine and infenfible transpiration. This specifick is a preparation from four Vegetables, whereof two are foreign, and the other domestick: At the third fit I administer a specifical splenetick medicine, which is a preparation from five or fix Vegetables; prore nata, whereof two only are foreign, and the rest domestick; upon the taking of which, I advise my Patient to walk orride abroad, and never fail upon this dose to remove the Ague: Then with splenetick and antiscorbutick Medicines, or as the diseases complicated require, taken for some time after, the disease is perfeetly cured, without any ill effects remaining after it; all the complicated difeases being with it eradicated, and the person left in good and persect health. Neither (though this method seem tedi-D 4 ous)

(44)

ous) are the Patients confined within doors, or from any business above two or three dayes at most, during the whole course of their Cure. And let me advise the world to beware of all palliative. Cures, and especially of that known by the name of the Jesuits Powder, as it is given by unskilful hands; for I have feen most dangerous effects follow the taking of that Medicine uncorrected and unprepared, viz. Convulsions, Epileptick Fits, Phrensie, greater obstructions than before; and fuch as do take it have only a ceffation for a time, the Ague returning in a fortnight or three weeks generally. Yet is this Powder not altogether to be condemned; for it is a noble and safe medicine, if rightly prepared and corrected, and administred by a skilful hand; otherwise as pernicions a medicine as can be taken. I always find that Patient, whose Ague hath been palliated with Jesuits Powder, to require a double method to cure him. Palliative Cures are always succeeded with some or most of these distempers, viz. Dropsie, Confumption, Scurvy, Tumours in the Spleen, Hypochondriack pains, and always an ill digestion;

60

100

(45)

digestion; by which the Patient is condemned to a miserable life, or lingring death. For the prevention of which mischiefs; Consulte, peritor, Take the advice of the skilful,

two

on by it is

than

only

ene-

and

and

that

uble

most Con-

66179

CAP. VIII.

Of the proper Diet to be observed by such as have Agues, and during my method of curing Agues.

I. Diet to be observed in the Quotidian.

In this Distemper a thin moderate Diet is required; For nature is so often opposed by the disease, that she hath little leisure to attend the disestions. Let the diet therefore be little at a time, and often, during the intervals, and let it be broths of Chicken, Lamb, or Veal, well boyled with Parsly, Fennel, and Sparagustroots; Let the drink during the Paroxysimes be White-wine Posset-drink, and

in the intervals, good fresh small Beer, with a fourth part of White-wine.

2. Diet to be observed in the Tertian.

During the Firs, or two hours before, no food is proper; for drink in the Fits, let it be White or Rhenish-wine posset-drink, tinctured with a little Sassron; or, in the hot sit, small Beer, with a fourth part of Rhenish-wine. During the intermission, eat good broths, made of Mutton, Chicken, or young Cock, boyled with Plantane, Sorrel, Endive, and Dandelyon.

3. Diet to be observed in the Quartan.

In the intervals, let the Diet be Chicken, or Mutton-broth, boyled with the five opening Roots; a little Harts-horn and Cordial flowers, and fometimes Gruels: and the gravey of Mutton studed with a little Clarret-wine, and Spice, with a little Anchovy, to give it a rellish: Let their table drink be small Beer, with a fourth

fourth part of Rhenish-wine, with Horse-radish-roots, Raysins of the Sun, and Orange-pill steep'd in it; and sometimes small Beer and Ale warmed with a gagge of steel; during the Fit, and four hours before, no food is to be eaten. For drink in the cold Fit, Rhenish-wine alone, about a glass or two; In the hot Fit, small Beer and Lemmon, with a fourth part of Rhenish; and Sack, or White-wine posset-drink in the time of sweating.

he

orc,

its.

ec

910

irth

er-

led an-

the

ck=

les

vith

CAP. IX.

Observations of this successful method in some long tedious Quartans, complicated with other Chronick diseases.

1. Observation in Essex.

A Bout the beginning of October 1666, I was call'd to visit a child of B. A. Esquire, which had been severely handled, with a Quartan Ague, above a year: The Child was about fix or seven

years

years of Age, a thin body, Consumptive, having a desperate Catarrh; and that which at first was a fingle Quartan, was become a treble Quartan. I enquired after the method of the Physicians which had been there before me, and was informed that they had prescribed only opening and purging drinks, and fome Arengthning Cordials: but these gave little relief to nature, and did rather exasperate than mitigate the distemper. In this weak condition I found the Child and undertook the Cure, and performed it after this manner:

I first administred eight grains of Febrifug am Riverii, which wrought very mildly with the child about fix or feven times; after which I administred a Febrifuge Cordial, and the two following fits. the Specificks: then I gave a Splenetick wine for a month after, to be taken at several times in the day, by which, with proper Syrrups, and a tineture of Coral,

the child was perfectly recovered.

2. Observation in Essex.

ptive, that

Was

s in-

ome

aye

ex-

In ild,

med

Fe-

very

Fefits, tick

ith

ral,

Octob. 25. 1667, I was called to visit A. B. Esq; at Malden, who had been afflicted with a Quartan Ague about a year, which was now trebled, and he fo weak, that he had kept his bed twenty or more weeks, sweating cold sweats every Fit. I first administred 25 grains of Febrifugum Riverii, which wrought gently with him fix or eight times: after its working I gave him a Diaphoretick Pill, after which he fell into a warm breathing sweat, and continued in it eight or nine hours: This threw off one of the fits, and it became a double Quaitan. The next Fit I repeated the same method, and reduced it to a fingle Quartan; and then by reason of his weakness, I desisted from giving him any more Vomits, and gave Diaphoretick Cordials (for at that vime I had none of my first Specifick by me;) neither was I so exact in the Cure, as I am now; yet in three weeks time I provided my Specificks, and administred them to him at the two following Fits, which removed his Ague, and he in a months time,

(50)

time, from the time I first came to him, was able to walk abroad, and hath been ever fince free from an Ague, except two or three Fits, which he had upon a relapse about a month after, which I may attribute to his neglect in taking the Splenetick Wine which was prescribed to him. Yet it was taken off again by the Specificks, and some Diaphoretick Pills, and he restored to perfect health.

3. Observation in London.

Taly 8. 1671. Mr. W. T. consulted me about his Ague, which was a fingle Quartan, and had continued with him above a year, having tried many Medicines, and especially (that supposed never failing Medicine) Jesuits Powder, eight or ten times, till it had like to have taken away Ague and life together: As he inform'd me, that upon the taking of it, he lay for fome hours convulsed, and in a manner bereav'd of life and senses, and being recovered, had only a cessation for three weeks, or a month, and then it returned with more violence. Now almost despairing of help, I undertook to cure him; and

(51)

nesc

two

ple

etick

Yet

and,

d me Dar-

bove and

nst n

away ormid

ly for

annec

g re-

umed

and

and fully the ninth, being his Fit day, I administred 30. grains of Febrifugum Riverit, and after its working, a Cordial Diaphoretick. Fully the 11. I administred a Febrifuge Diaphoretick, with which he sweat 8 or 9 hours. Fully 14. I gave him the first of my Specificks, after which he sweat three or four hours: and fully 18. the second Specifick: Upon the taking of which, he walked four or five miles, and returned home without his Ague: then by the Splenetick and Antiscorbutick Medicines for some time after, he was cured, and remaineth so ever fince.

4. Observation in London.

Ang. 13. 1671. I undertook the Cure of the Daughter of Mr. R. A. in Covent-Garden, who had been afflicted with a Quartan Ague a year and half, or more, and had neglected no means that could be heard of for her recovery; as the advice of the ablest Physicians in Town, change of Air, Tunbridg and Epsom waters; had taken Jesuits Powder ten times, (with the like dangerous success I mentioned in the last Observation:) But all proved inesses

etual; her distemper encreased, and was complicated with the Scurvy in a high degree; obstructions in the Spleen, and an incipient Dropfie. I first administred Febrifugum Riverii twenty grains ; after which I gave the Cordial Diaphoretick; in the interval I gave an Elixir to restifie the Stomach and Spleen: The next fit was administred the first of my Specificks; and the fit after, viz. the third fit from the time I began the Cure, she took the fecond Specifick; after which she rid two or three miles out of Town, and returned home without her Ague; then the continued four or five weeks, taking some Antiscorbutick and Splenetick Medicines, and was perfectly recovered, and continues in good health.

I might infert many more observations, but these may suffice, being as strange and difficult Cures as I can expect to meet with. As I find the world grateful in their acceptance of this Treatife, I intend hereafter to publish a larger, and with it a fuller account of my particular Method, & Medicines, not being willing to conceal fuch useful remedies from the world any longer, than till I have made some little

advantage

cep

Vas

de-

and red

ifie

fit

ks;

mon

the

rid

100

The

ions,

meet iul in ntend ith it

onceal Id any advantage my felf, to repay that charge and trouble I have been at, in the search and study of so great and unheard of secrets.

Non nobis sed Patria nascimur.

I would not have the tediousness of the Cures mentioned in my Observations, deterr any from seeking my help; for except their cases be as difficult as those there mentioned, I can perform the Cure in less time, as sometimes in a fortnight, week, or less, as the disease may be.

Multum novit, qui unum bene novit

E

An

Appendix.

Nature's Method in time of Sickness, and by what means she opposeth her Enemies.

SECT. I.

Iseases, Nature's enemies, though their shapes and number be many, yet they may be reduced to these two general heads, viz. Chronick, and Acute.

WIT

or affili

ther

Off :

regul

to b

103

Chronick diseases move slowly at first, slightly invading Natures Castle; so that she, Non vacans exiguis Rebus adesse, is often surprised: sometimes the spirits evacuated, or evaporated, the ferment of the stomach becomes weak and seeble, not able to perform its Office; from hence proceeds a general decay of the parts, as in Consumptions, &c. other times the Ferment grows exorbitant, and will not admit of Nature's Rules; here food may be quickly dissolved, but not so well digested: From hence comes the Scurvy,

(55)

Scurvy, Rheumatismus, vagrant Pains, & c. sometimes the passages as well for the conveyance of the Chyle, as evacuation of excrements, become so obstructed, that not only a decay of the superior parts do ensue, but Tumors and Inundations in the inseriour parts do arise; from whence Dropsies, & c. do proceed.

eans

nough

many,

two

lo that

ipirits

rment

from of the

other and

here out not

But although upon the first sensible invasion of these diseases, Nature useth her utmost endeavours to oppose them; yet in these Chronick distempers she meets with so many obstructions, that she rarely or never overcomes them, without the assistance of her friend, the Physician.

Acute diseases charge more violently; but Nature having timely notice, she presently applies all her force to oppose them, and is sometime known to throw off these distempers without the help of a Physician. But when, either by the irregularity of the Patient in his diet, or otherwise, the distemper is re-inforced, or re-invigorated; Nature is often known to be over-power'd without the timely assistance of her friend, the Physician.

In these Distempers, a sudden and violent charge being given to Nature, a E 2 Tremor

(56)

Tremor shakes the whole body; after that the Enemy having got into the sanguinary channel, all force is used to drive it out; but this is not done without much violence. Hence a Fermentation or Ebullition of the blood doth ensue, and continues so long till the morbifick matter is discharged, part per poros cutis, and the rest by the Ureters and Intestines.

the

Hux.

Natu Acric lient

indic:

cines,

the Sp In

wat ch

SECT. II.

Natures several Indications in Chronick and Acute diseases, according to which the Physician ought to frame his method of Cure.

IN Chronick diseases, where the stomach is troubled with tough viscous humours sticking to the sides thereof, Nature indicates vomiting, by the Nansea that attends that part, and offers of Nature to be relieved that way. If these humours be sluid, they generally participate of an acid quality, being impregnated with lrive

nuch

E.

con-

atter

and

a fixed acrimonious salt, which mixing with the chyle, converts it into a juice of the same nature, whose exorbitant acidity resists the alteration designed by nature in the intestines; and by its acrimony, extimulating and exciting the expulsive faculty of those parts, a Diarrhoea, Bloodyflux, griping of the Guts, &c. are caused: Nature here indicates dulcoration of the Acrimony, and Evacuation, with emollient and lenitive Medicines. Where the passages by which the chyle is conveyed, or the excrements pass through, are obstructed, occasioned from a defect of the splenetick ferment, or otherwise, Nature indicates opening and attenuating Medicines, and fuch as do excite the ferment of the Spleen.

In Acute diseases, as Nature is most watchful and industrious in opposing them, so is she most curious in her indications, giving timely notice of the approach, and in a coner doth the adversary invade, but a coner doth the adversary invade, but a udden tremor gives notice of the approach of a potent Enemy, and when it offaults her, she leaves all to oppose it.

mach with too much, or any gross food; for nature and the spirits being employed otherwise cannot attend the digestions: And no fooner doth she get a little refuite, but the indicates to the Physician (her friend) how part of the morbifick matter is expelled, and how the rest by his affiltance may be carried off. And this she doth by those pearly drops displayed upon the superficies of the Cutis, as so many Trophyes of her late acquired Victory: but if the disease be so potent, that she cannot by her own defired way, viz. per poros cutis, throw it off; she is forced to throw the morbifick matter into some other parts, till she can recover more strength to vanquish it: and here the acquaints her friend (the Phyfician) where she hath lodged the enemy, calling for his affiftance.

The symptomatical Pleurisie and Phrensie, and other symptoms in Fevers, are only signs of nature's weakness, who wanting ability to discharge the morbissel matter her own way, was forced to throw it into some other part, as into the Membrane Plana, or into the meninges of the Brain, from whence Pleu-

rifie

Whe

her .

prefe

Natn

yed

re-

cian

by

And

dif-

Wis

ired

tent,

way, she

atter

eco=

and

Phy-

ene-

and

mor-

s into

e me

risie and Phrensie happen in Fevers: when the hath separated and vanquished her Enemies, she usually offers to drive them out at the inferior Postern, indicating to the Physician that way she would be affisted. I could instance many more, but to the rational this is sufficient; to acquaint them with Natures method and wife government in the Oeconomy of our body, and that the true method of cure ought to be according to Natures own prescripts and indications. For which I will bring the authority of that true friend of Nature, the learned Helmont, page 802. Naturam effe morborum medicatricem, eam confortandam ideo non consternandam: Nature being the Physicianess of diseases, the is to be strengthned, and comforted, not frightned, or disquieted.

E 4

SECT.

SECT. III.

A Discourse of the cause and cure of continuing Fevers.

Evers, though by some distinguished by various names, may be reduced to these two heads, viz. Putrid and Malignant.

Of the signs Diagnostick of Putrid Fevers.

They invade the fick with a chilness in the back, and oftentimes shaking like an Ague; after that a burning heat, which dissult it self through the whole body, and increaseth gradually to the 4th. 7th. 14th. or 21. day, and then decreaseth accordingly: It is attended with Thirst, a quick Pulse, high coloured Urine, Headach, Phrensie, Convulsions; with many more dangerous symptoms, if the disease be high.

Epil

no fi

fym

the o

pear

Wake

times

ther :

Patien

Of the signs Prognostick.

448

reis

ody,

71b.

1 ac-

t, a

nany

These Fevers happen commonly in the Spring or Summer; and if the symptoms be mild, they sometimes go off in 4. or 7. dayes; if violent, they last 14. 21. and 42. dayes : when a Phrenfie, Delirium, Epilepsie, Convulsion, an irregular Pulse, no figns of concoction are feen in the Urine after a Crisis, or such like violent symptomes appear, the Patient hardly recovers without powerful remedies, and the diligent care of the Physician, and his Affistants. But if milder symptoms appear, as, if the thirst be not great, the Patient not disturbed in his sleeps, and wakes somewhat refreshed after them, good Crifes happen, and Nature at those times gives some signs of a conquest, either by sweat, urine, or a looseness; the Patient recovers with little care and help.

Of the figns Diagnostick of Malignant Fevers.

They seize the Patient with a pain in the back or head; the strength is debilitated

more than could be expected from the nature or heat of the Fever, a dry Cough, palpitation of the Heart, involuntary Weeping; the heat in these distempers at first touch mild, but after some time more sharp; the Pulse low and quick, of ten intermitting; the Urine off-times pale, and like the urine of healthy persons, but sometimes thick, with a red sediment; if the disease run high, Phrensie, Convulsions, Madness happens; Spots, Pusules, Blains, Buboes, Carbuncles, &c. break forth.

Of the signs Prognostick in Malignant Fevers.

These Distempers generally afflict the people about the Autumn and Winter, more than the Spring and Summer; they last (according to the nature of the disease, and strength of the Patient) four, seven, twenty one, or forty two dayes: The dangerous symptoms in these diseases, are unquiet sleeps; the Patient not relieved by them; madness; imbecillity of the retentive faculties; a creeping, low,

may :

[Wil

dein

and irregular Pulse; black and turbid urine; Convulsions, Epilepsies, &c. otherwise, if the Patient is relieved by sleeps, hath a regular pulse, good Crises happen, moderate sweats, and the Patient appearing refreshed after them, signs of concocion in the Urine, &c. the Patient is in no danger.

SECT. IV.

A discourse of the cause of Fevers.

You know (Physiophilus) such is the humour of this present age, that they are not contented with those accounts of Fevers the Antients thought rational, but must have some new well-tuned Hypotheses to please their humours: that I may not be thought altogether Empirical, I will follow the steps of some of our modern ingenious Physicians, and run with them in their rational accounts of Fevers, which being pleasant and coherent, do gratise our humours, and delight our curious fancies. But I must beg their pardon, if I leave

ley lii-

\$:

leave them fometimes in the method of curing, and follow the experienced and

well-troden paths of the Ancients.

The Hypothesis granted, that Blood and Wine are analogous, and observe the same rules and method in casting out extraneous bodies; the cause of Fevers will be thus understood, when either from the defects of the Duumvirate, i. e. the Stomach and Spleen, change of Air or Diet, whereby the habit of the body is altered, violent Passions, retention of Excrements, and the like; an imperfect and ill-digested chyme is prepared, and conveyed into the mass of blood, which being not fit for mixture and assimilation, is resected and cast forth as an Heterogenous matter: From hence is caused a commetion, or fermentation of the whole mass of blood, which lasts so long til the extraneous matter be cast out, either by the Pores of the skin, Ureters, Intestins, or other emunctories.

The Experiment may be proved in Wine; into which if you put any Heterogeneous matter, as a drop of a Candle, Sugar, or any Liquors, it will immediately ferment, which will not cease, till

the

at le

Wile

vers !

parts

Hare !

throng

the ve

is m

is of

(65)

the extraneous matter be thrown out, or feparated from the Wine, and lodged at the bottom of the Vessel, and the whole body of the Wine remain pure and clear. Thus, we see, persons after excess in eating or drinking, fall into Fevers; the ferment of the stomach being diluted, and deprayed by such excess, and the parts designed for conveyance of chyle, or nutriment, are obstructed; so that an unsured stomach being diluted and the blood excess which

the blood cannot admit of.

d

0=

ed

Ī:

do

er

n-

So likewise we may observe from such persons as have fed upon ill diet a long time, as at Sea, or in Captivity, the body at length hath been accustomed to it; but when such have returned home, and came to feed upon good and wholsom food, they have oftentimes fallen into very high Fevers; the reason of it may be this: The parts of the body defigned for concoction were not acquainted with fuch food, and through depravity could not digest them fufficiently; or, if this food were digested into good Chyme, yet when it came into the veins, the blood could not admit of its mixture and affimilation, because it is of a contrary nature to that which

(66)

was produced from the former ill diet.

When this Chyme, from some ill food, or bad air, hath contracted a poysonous nature; the blood touched with this venomous Miasme, is either too much fused, from whence follows a greater ebullition in the mass of blood, by which the vital spirits are wasted and dispersed; or sometimes the blood is coagulated, by which its circulation is hindred, and a stagnation of that vital current follows, as in the high malignant and Pestilential diseases.

SECT. V.

of proper Diet (to be observed)
in Fevers.

ted;

the c

that is

or sta

IN putrid Fevers, in the beginning and state of the disease, a thin diet is necessary; as Water-grewel, broth of Chicken, Mace-Ale, Barly-water, with cooling and cordial Syrrups: In the declination, Mutton or Veal-broth, or gravey of meat stued with a little Claret, and a chive of Mace: after the first Purge, (which is not to be administred till signs

of concoction appear in the Urine) Chicken boyled, or roasted, Mutton, or Veal, &c. may be allowed: For drink, White-wine Posset-drink, or small Beer,

with a fourth part of White-wine.

d,

0-

C=

ich

ion ligh

ne-

degra-

鄉

In Malignant, the Diet must be thin, but spirituous; as, clear Sack posset-drink, Mace-ale, broth of Chicken, with Hartshorn, and cordial Flowers boyled in it: In the declination of the disease, White-wine Cawdles, gravy of Mutton stued with Claret, a little Mace and Nutmeg; then after purging, Flesh may be permitted, viz. such as is of easie digestion, as Chicken, young Rabits, Lamb, or Veal: the drink, during the encrease or state of the disease, must be cordial Julips, but afterward good fresh Beer, with half Ale, that is well boyled, and neither too new, or stale.

·新生、教徒、(1995)

SECT. VI.

SECT. VI.

Of the method of curing putrid

First of all take care to clear the Stomach, if you be consulted in time,

dieis

this

pulve

dials

CTILIE

IINE

drive

teftin

Varion

phore

Grario

Purge

and nature will bear it.

Proper Vomits are these: Oxymel scilliticum, Oxymel simplex, Insuso croci metallorum, Salvitrioli, vel Gilla Theophrasti.

Then prescribe as a Julip this tineture

of Roses, viz.

Re Florum Rosarum Rubr. 3j. Spir. vitrioli 3iv. Aqua Fontana l.iv. infundantur in loco calido per horas sex, postea coletur & colatura depurata adde sacchari albissimi 3iij. Aqua Rosarum Damascenarum 3iv. misce, siat tinctura, de quâ bibat ager ad libitum.

At other convenient times, let the Pa-

tient take this Cordial;

Re Aquarum melissa, cardui benedisti, ana ziij. perlarum Corallii praparato an. 3). Syr. acetositatis citri zis. misce, siat Julapiam pro quatuor dosibus. If the Fever increase, and violent symptoms appear, as Delirium, Phren-sie, &c. apply blistering playsters to the Neck, Arms and Anckles; and Herrings, or this following Cataplasme to the Feet.

R. Carnis Halecum ex muria 3iij. Radicis Brionia 3j. fol. Ruta M.j. Salis nigri 3 vj. Saponis nigri q.S. fiat cataplasma plantis pedum applicandum.

After which Applications administer

this following bolus;

Ht.

100

Me

ir.

in

fac-

Da-

明治

Pro

illi,

grate esfiat Re Conserva Rosarum Rubro vitriolato 3 jo pulveris ex chelis cancrorum compositi 3 jo laudani Londinensis groj. misce, siat boluso

Then administer other proper Cordials, pro re nata, till you observe a good criss, and signs of concoction in the Urine; at which time, observe Natures indications; as, which way she offers to drive out the morbisick matter, whether still by the Pores of the skin, or by the Intestines; and according to your observation assist her either with proper Diaphoreticks, such as, Pulvis ex chelis cancrorum compositus, cum Rad. contrayerva, of serpentaria; Or else with a lenitive Purge, such as followeth; viz.

F

R. Fol. endivia, cichorei ana P). coquantur in Aqua font. 3vj. ad 3iv. postea add. Rhabarbari electi 3ij. senna mundata 3j. Zinziberis 9 j. sam. Anis 3 s. tinfundantur per noctem, mane colentur, & colatura adde syr. Rosarum solutiv. 3vj. misco siat potio.

The same Potion, or another, may be afterwards repeated as occasion serves.

SECT. VII.

Of the method of curing malignant Fevers.

IF you are consulted in time, first clear the stomach with Oxymel settlisic. Zij. vel ziv. After its operation is ended, give this Cordial, viz.

R. Aqua cardui benedicti, 301. corallii preparati, boli armenii ana DJ diascordii 313. syr. Garyophyllerum 33. misce, fiat

potio cordialis.

Then let the Patient drink of this fol-

lowing Julip every three hours : viz.

nera 38. Rad. Contrayerva, Serpentaria, ana 318. Liminia M. j. cognantum in Aqua fontana

(71)

fontane Lb, iv. ad Lb. if. colature adde fyrrup: melissa; Garyophyllorum ana 31. confectionis de Hyacintho, elett. de salsafrà ana 3ij. misce, sidt Julapium, de quo capiat Cooblear: quabuor, tertià quavis borà, tepide:

Once in two hours, let the Patient take

2 spoonful of this Cordial, viz.

Re Aqua melissa, Scordii ana 311j. Aqua Bezoardica, 3j. syr. Garyophyll. 31s. confectionis de Hyacinch. 31j. corallii, perlarum, praparat. ana 9j. misce, siat Julapium cordiate, de quo capiai cochlear. j. secunda

quavis bora repide

444.

3).

ntur udde

Oo.

yibe

趣。

clear

\$11).

ded,

alle!

1000

fiat

66-

7200

1que

1486

If violent Symptoms appear, apply blifters to the Neck, Wrifts, and Anckles; Pigeons, or Herrings, to the Feet; Chickens fplie to the Heart and Stomach; Heighten your Cordials as the disease encreaseth, and change them often in these distempers: Administer nothing cold, either actually, or potentially: when you fee figns of concoction, you may administer a gentle Purge, such as that before prescribed in putrid Fevers.

Thus have I given you (Physiophilus) that method which I have used with extra-ordinary success some years; but except

F 2

there

there be judgment and experience joined with it, viz. to know a disease; and what doses, according to the several ages and constitutions of Patients; when to administer and apply Remedies; the best methods and medicines are used in vain.

SECT. VIII.

A discourse of the disease called the Griping of the Guts.

Here hath appeared (Physiophilus) amongst many other diseases, a strange Monster, called the Scurvy, acting its part upon the stage of this little world in various shapes, counterfeiting the guise of most other diseases: sometimes it confumes by little and little, as it were grating and crumbling the body into the grave; then again it rends and distracts, separating the union of body and soul, fuddenly puffing out the lamp of life: fomerimes it is couchant, other times rampant; so alternately chronick and acute.

But

only

gripe

toler fome:

are a or hig

Head .

Watch

of blo

utine f

fons: oled,

dith,

But amongst the many appearances of this Protean disease, there is none more eminently atrocious, than this termed the Griping of the Guts; and though by some, it may be accounted a substantial disease; it appears to my reason to be only a product, or an effect of a virulent scorbutick root.

and

ages

ot o the

ed in

alled

world guile t con-

e 013-

lie :

stan-

Of the signs Diagnostick of the Griping of the Guts.

It seizeth the Patient with wringing gripes usually, and oftentimes with intolerable racking, and convulfive pains: some have only a flux downward, others evacuate both by vomit and stool; they are accompanied with a Fever manifest, or hidden; giddiness, great pains in the Head, Drowfiness, Phrensies, tedious Watchings, weakness of the Limbs, diffi-cult breathing, a weak and irregular Pulse, pains in the sides and loins, fluxes of blood, oppression at the stomach, the the urine for the most part like healthy perfons; but sometimes it is thick and troubled, oftentimes spots appear of a reddish, or purple colour, being small, and lying deep in the flesh.

Prog-

Prognosticks in the Griping of the Guts.

If a Fever, with other bad symptoms, as Lipothymie, Convulsion, Phrenfies, &c. be joined with these griping pains; the patient generally miscarries, except the virulent Ichor be transmitted by large sweats, or more gentle breathings, with eruptions of Pultules,

Spots, or red Blotches.

If these malignant Gripes, joined with a Fever, invade any that have been debilitated by a long instrmity; or intemperate persons, the serment of whose stomach is diluted and depraved, the case is dangerous. Sometimes it happens, that the Torminous matter is translated into the limbs, whereupon Passe, Rheumatismus, or Gowt happen, to the preservation of life.

If none of these symptoms appear, the Patient recovers with little help of proper Remedies; but otherwise, not without great care and incustry, annexed with medicines of some force and energy.

SECT. IX.

or H

ant (

the !

verte

ratio

Ferm

the ex

liquat

them I

Ichor.

and if

tingail

SECT. IX.

en:

ing

ail-

atle

les,

vich

om.

tocale

that

0101

ma-

iler.

Will

Of the cause of the Griping of the

TI's Cause may be supposed (Physiophilus) from an exorbitant acidity of the flomachs Ferment, occasioned from the ill disposition of the Air, Diet, Contagion, or Hereditary constitution: By this luxuriant exorbitancy of the stomachs Ferment, the food dissolved and digested is converted into a juice of the same sharp and corroding nature; and refifting the alteration and dulcoration defigned by the Ferment, implanted in the intestins, by its acrimony frets, extimulates, and excites the expulsive faculty of those parts, colliquating the nitrous juices, turning them into an acid, fretting, and vexatious Ichor, bringing a damp upon the spirits, and if not timely prevented, totally extinguishing them.

F 4 SECT. X.

SECT. X.

Of the method of curing the Griping of the Guts.

fervi

IN t

IF consulted in time, a gentle Vomit will be necessary, such as Oxymel scilliticum, from Zij. to ziv. after that some proper Diaphoretick, such as Pulvis ex chelis cancrorum compositus, lapis contragerva, prepared Pearl and Coral; these do dulcorate acid and corroding juices, and relieve nature, by throwing out the offending humours, per poros cutis ! Let the Patient drink Julips made of Cornu cervi nft. Rad. scorzonera, contrajerva, serpentaria, &c. Administer Cordials made of spirit of Juniper, Scurvy-grass, Hartshorn, with proper Syrrups, Elixir proprietatis Paraceifi, Spirit of Tartar, Tincture of Coral, Hamatitis or Bloodstone: proper chalybiate Medicines may be used at convenient times, as the judicious Physician shall find occasion.

The Diet may be the same prescribed

in malignant Fevers.

Let this short discourse suffice at present (Physiophilus:) as occasion offers, and acceptance (77)

acceptance answers, I shall be ready to serve you, and my Country, to the utmost of my power.

į.

mit Ili-

ele

es,

the Let

263

its-

8700

Tin-

10d-

Si quid scis rectius istis

Candidus imperti; si non, his were med

cum.

From my dwelling, next door to Grey's Inn-gate in Holbourn. July the 14th 1672.

ERRATA.

IN the Epistle to the Reader, line ult. for jours read your; pag. 34. lin. 1. for Halecium read Halecum; lin. 4. read cataplasma; lin. 12. read extratti; lin. penult. read Helmontii; pag. 33. lin. 13. read conserve.

FINIS.

Of i Ado ve Of t F Ofal Ag OF CE ibe Tie A

The Contents.

THE Introduction to the Different
The Introduction to the Discourse of Agues. CAP. I.
The same of CA P. d. Barnots problem
Of the use and Offices of the Spleen and
Stomach. CAP. II. P. 15.
A discourse of the cause of intermitting Fe-
vers or Agues. p. 19.
CAP. 111,
Of the Diagnostick signes, of intermitting Fevers or Agues.
CAP. IV.
Of the Prognosticks in Agues. p. 27.
The State CAP. Value of the
Of the several Remedies used for the cure of Agues.
CAP. VI.3
of Charms used for the Cure of Aoues, how
they operate: with the dangerous em-
Sequences that have attended them. p.35.
The Ambors particular Method of curing
all forts of Aques.

CAP. VIII.

CAP. VIII.

Of the proper diet to be observed by such as have Aguss, and during my method of curing Agues.

CAP. IX.

Observations of this successful method in some long tedious Quartans complicated with other Chronick diseases.

P. 476

Appendix.

SECT. I.

Atures method in the time of sickness, and by what means she opposeth her enemies.

P. 54.

SECT. II.

Natures several indications in chronick and acute diseases, according to which the Physician ought to frame his method of cure.

P. 56.

SECT. III.

A discourse of the Cause and Cure of continuing Fevers. p. 60.

SECT, IV.

Of 1

0 1

Adil

001

•
SECT. IV.
A discourse of the cause of Fevers. p. 63.
SECT. V.
Of proper Diet to be observed in Fevers.
p. 66.
SECT. VI.
Of the method of curing putrid Feverse
p. 68.
SECT. VII.
Of the method of curing malignant Fewers.
SECT. VIII.
A discourse of the disease called the Griping
in the Guts. P. 72.
Of the Cause of the Griping in the Gats.
SEC T. X. P. 75.
Of the method of caring the Griping of the
Gnts

45 of 5.

in ted

fis ber 4.

the of

sti-60.

٧.

MED. CHIR. SOC. ABERDEEN.

1850 1





